The hon. Sir NORMAN MARJORIBANKS: —" Until the result of the investigation is known."

Diwan Bahadur R. N. AROGYASWAMI MUDALIYAR :—" I wish to know if the Government have now come to the conclusion that they are going to wait and see the results of the Tungabhadra Project before they investigate the Kistna Reservoir Project, whether the Ceded Districts Irrigation Committee recommended both the schemes, and whether the Government are going to treat the two schemes separately ? "

The hon. Sir NORMAN MARJORIBANKS :—" I said, Sir, that the Government intend to wait for the result of the investigation and not the result of the project."

Mr. A. KALESWARA RAO :—" May I know, Sir, which of the two schemes, the Kistna Reservoir Project or the Cauvery-Mettur Project fetches a greater percentage of income to the Government ? "

The hon. Sir NORMAN MARJORIBANKS :—" On the calculations and estimates prepared at the time when these questions were considered the Cauvery-Mettur Project was considered to be more productive."

Report on the Kandleru scheme in Vinukonda taluk.

* 1151 Q.—Mr. P. ANJANEYULU : Will the hon. the Member for Revenue be pleased to state—

(a) whether any report has been received from the Collector of Guntur regarding the Kandleru scheme in Vinukonda taluk, Guntur district ; and

(b) if so, what the Government intend to do in the matter ?

A.—(a) Yes.

(b) The Government propose to sanction a special establishment to gauge the Kandleru river for seven months in the year for three years commencing from 1929 in order to ascertain the supply available.

Construction of shutters with greater height on the Godavari Anicut.

* 1152 Q.—Mr. K. V. R. SWAMI : Will the hon the Member for Revenue be pleased to state—

(a) whether the report regarding the construction of shutters with greater height over the Godavari Anicut promised in the answer to the last supplementary question to question No. 1176 answered on 5th November 1927 was called for from the Chief Engineer ;

(b) whether the same was received ; and

(c) if not called for, whether the same will be called for now ?

A.—A copy of the Chief Engineer's report [a] No. 15/27-C.E.P., dated 4th April 1928, is laid on the table.

[a] Printed as Appendix II on pages 413-414 infra.